



TELEHANDLER

STH1056A

STANDARD
FEATURES

- Configured as 74hp (no DEF) or 130 hp
- Wide angle rear view camera
- Reverse object detection
- Axle mounted stabilizers
- Powerful Deutz engine

130 hp
Gross Power
56' 2"
Max Lift Height
10,000 lbs
Max Lift Capacity
33,290 lbs
Operating Weight



DIMENSIONS

DIMENSIONS		
Maximum Lift Height	56' 2"	17.13 m
Maximum Forward Reach	42' 11"	13.08 m
A Height, Stowed	8' 5"	2.56 m
B Length, Stowed (without Forks)	20' 7"	6.28 m
c Width	8' 6"	2.59 m
d Wheelbase	11' 5"	3.49 m
E Ground Clearance (Center)	1' 6"	0.46 m
Ground Clearance (Axle)	1' 6"	0.45 m
Weight	33,290 lbs	15,100 kg
CAPACITIES		
Power	130 hp	97 kW
Torque	360 lbf-ft	488 Nm
Electrical System	24 volt	
Hydraulic Tank Capacity	33 gal	124 L
Hydraulic System Capacity (with Tank)	42 gal	159 L
Fuel Tank Capacity	36 gal	135 L
COMPONENTS		
Engine	Cummins QSF 3.8	
Transmission	Dana 1120VDT	
Axles F/R	Dana 223 / 212	
Hydraulic Pump	Kawasaki Load Sense Piston Pump	
Hydraulic Manifold	Parker	

TECHNICAL SPECIFICATIONS

*Based on theoretical calculation at max flow with no load. Subject to alterations. In the interest of continual equipment development, SANY Canada Ltd. reserves the right to change these specifications at any time without prior notification.
©2023 SANY Canada Ltd.

PRODUCT SPECIFICATIONS TELEHANDLER ||| STH1056A



STANDARD AND OPTIONAL EQUIPMENT

s = standard / o = optional

STH1056A	ENGINE
s	Exhaust aftertreatment (DOC+SCR (DEF required for 130hp machine))
	POWERTRAIN
s	Powershift transmission
s	Planetary limited slip axles
s	Full-time 4 wheel drive
s	Gear selector lever (Steering-column)
s	Manual shift
s	Service brake, Servo-assisted, hydraulically oil-immersed multi-disc on front and rear axle
s	Parking brake, oil immersed disc type, SAHR
s	Cushioned solid tires
	HYDRAULIC
s	Full variable load-sensing system
s	Single electric over hydraulic joystick controls
s	Axial piston pump
s	Hydraulic quick coupler lines for auxiliary hydraulics
s	Self-leveling forks
s	Three driver-selectable steering modes (2W, 4W, 4W-Crab)
	CABIN
s	ISO certified ROPS/FOPS Canopy
s	Emergency hammer (closed cabin only)
s	Rubber isolated cab mounts

In the interest of continual equipment development, SANY Canada Ltd. reserves the right to change these specifications at any time without prior notification.
©2023 SANY Canada Ltd .



*Warranty applies to Telehandler only.



STANDARD AND OPTIONAL EQUIPMENT

s = standard / o = optional

STH1056A	CABIN (CONTINUED)
s	Fully enclosed cab with automatic heat and air conditioning
s	Digital instrument display
s	Mechanical suspension seat
s	Seat belt, 3 inch retractable
s	Dual armrests
s	Rear-view camera
s	2-speed fan
s	Dedicated display for rear-view camera
	ELECTRICAL
s	24v electrical system
s	2-12 volt batteries
	PRODUCTIVITY
s	Back up camera
s	Reverse sensing system
s	Full 4-wheel fender package
s	LED work lights on cab and boom
s	Flashing beacon
s	Lifting hook
s	Frame leveling 10 degrees side to side
s	Rear-Axle stabilization system
s	Axle-mounted front stabilizers


In the interest of continual equipment development, SANY Canada Ltd. reserves the right to change these specifications at any time without prior notification.
©2023 SANY Canada Ltd .




PRODUCT SPECIFICATIONS TELEHANDLER III STH1056A

PERFORMANCE

PERFORMANCE		
Maximum Lift Capacity	10,000 lbs	4 536 kg
Lift Capacity at Maximum Height	5,000 lbs	2 268 kg
Lift Capacity at Maximum Reach	3,000 lbs	1 361 kg
Boom (Raise/Lower)	14 seconds / 11 seconds	
Boom (Extend/Retract)	16 seconds / 15 seconds	
Frame Leveling	+/- 10 degrees	
Maximum Drive Speed	14 mph	22.5 kph
Outside Turning Radius (4WS)	14' 1"	4.30 m
Auxiliary Hydraulic Flow	17 gpm	63 L/min
Auxiliary Hydraulic Pressure	3,916 psi	27 MPa
Standard Tire Size	14.00-24	



Outriggers Up



Outriggers Down

* Indicates load limited by hydraulic lifting capacity.

In the interest of continual equipment development, SANY Canada Ltd. reserves the right to change these specifications at any time without prior notification.
©2023 SANY Canada Ltd.

SANY Canada Ltd. 409 Nash Road
Hamilton, Ontario L8H 7R84
SANYCANADA.com

SANY